

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---|---|------------------|---------|------------------|
| L1 | 5 | (multiple or plural\$3) near1 (function\$1 or capability\$3 or system\$1) and downconverter with (first and second) near signal | USPAT | OR | OFF | 2005/01/18 11:31 |
| L3 | 0 | GPS and CDMA and GSM and downconverter with (first and second) near signal | USPAT | OR | OFF | 2005/01/18 11:32 |
| L4 | 1 | CDMA and GPS and downconverter with (first and second) near signal | USPAT | OR | OFF | 2005/01/18 11:53 |
| L5 | 72 | CDMA and DBS | USPAT | OR | OFF | 2005/01/18 11:53 |
| L6 | 1 | CDMA and digital near1 broadcast near system | USPAT | OR | OFF | 2005/01/18 11:55 |
| L7 | 0 | CDMA and digital near1 broadcast near system and multi near mode near receiver | USPAT | OR | OFF | 2005/01/18 11:54 |
| L8 | 0 | multi near1 mode near receiver and CDMA and digital near1 broadcast near system | USPAT | OR | OFF | 2005/01/18 11:56 |
| S3 | 49260 | (multiple or many or plural\$3 or several) adj2 (function\$1 or capability\$3 or system\$1 or mode\$1) and receive\$3 near signal\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 13:35 |
| S4 | 20 | S3 and convert\$3 with (first and second) with baseband near signal\$1 and process\$3 with (first and second) with baseband near signal\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 13:37 |
| S8 | 1 | (MMR or multi near mode near receiver) and (digital near broadcast near satellite or DBS) and (GPS or global near position\$3 near satellite) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 13:48 |
| S9 | 223228 | (MMR or multi near mode near receiver) and (CDMA or code near division near multiple near access) or (digital near broadcast near satellite or DBS) or (GPS or global near position\$3 near satellite) or (PCS or personal near communication near service) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 13:50 |

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S10 | 167 | (MMR or multi near mode near receiver) and ((CDMA or code near division near multiple near access) or (digital near broadcast near satellite or DBS) or (GPS or global near position\$3 near satellite) or (PCS or personal near communication near service)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 13:51 |
| S11 | 136 | (MMR or multi near mode near receiver) and ((CDMA or code near division near multiple near access) and (digital near broadcast near satellite or DBS) or (GPS or global near position\$3 near satellite) or (PCS or personal near communication near service)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 13:51 |
| S12 | 83 | (MMR or multi near mode near receiver) and ((CDMA or code near division near multiple near access) and (digital near broadcast near satellite or DBS) and (GPS or global near position\$3 near satellite) or (PCS or personal near communication near service)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 13:51 |
| S23 | 7 | (MMR or multi near mode near receiver) and ((CDMA or code near division near multiple near access) and (digital near broadcast near satellite or DBS) and (GPS or global near position\$3 near satellite) or (PCS or personal near communication near service)) and baseband | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 17:03 |
| S26 | 5 | (MMR or multi near mode near receiver) and (CDMA or code near division near multiple near access) and ((digital near broadcast near satellite or DBS) or (GPS or global near position\$3 near satellite) or (PCS or personal near communication near service)) with baseband | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 15:57 |
| S30 | 6 | (MMR or multi near mode near receiver) and (CDMA or code near division near multiple near access) and ((digital near broadcast near satellite or DBS) or (GPS or global near position\$3 near satellite) or (PCS or personal near communication near service)) and (first near2 system and second near2 system) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 16:58 |

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| S31 | 1 | (MMR or multi near mode near receiver) and first near (system or convert\$2 or process\$2) and second near (system or convert\$2 or process\$2) with baseband | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 16:59 |
| S33 | 25 | (MMR or multi near mode near receiver) and ((CDMA or code near division near multiple near access) or (digital near broadcast near satellite or DBS) or (GPS or global near position\$3 near satellite) or (PCS or personal near communication near service)) and baseband | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 17:37 |
| S37 | 70 | ((MMR or multi near mode near receiver) or (multi\$3 or many or several or plural\$3) near (function or mode or capability\$3 or communication near system\$1)) and ((CDMA or code near division near multiple near access) and (digital near broadcast near satellite or DBS) or (GPS or global near position\$3 near satellite) or (PCS or personal near communication near service)) and ((process\$3 or convert\$3) with baseband near signal | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 17:42 |
| S38 | 34 | ((MMR or multi near mode near receiver) or (multi\$3 or many or several or plural\$3) near (function or mode or capability\$3 or communication near system\$1)) and ((CDMA or code near division near multiple near access) and (digital near broadcast near satellite or DBS) and (GPS or global near position\$3 near satellite) or (PCS or personal near communication near service)) and ((process\$3 or convert\$3) with baseband near signal | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 17:54 |

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S40 | 34 | ((MMR or multi near mode near receiver) or (multi\$3 or many or several or plural\$3) near (function or mode or capability\$3 or communication near system\$1)) and ((CDMA or code near division near multiple near access) same (digital near broadcast near satellite or DBS) same (GPS or global near position\$3 near satellite) or (PCS or personal near communication near service)) and ((process\$3 or convert\$3) with baseband near signal | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 17:57 |
| S41 | 207 | ((MMR or multi near mode near receiver) or (multi\$3 or many or several or plural\$3) near (function or mode or capability\$3 or communication near system\$1)) and baseband with (process\$3 and convert\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 17:58 |
| S42 | 32 | ((MMR or multi near mode near receiver) or (multi\$3 or many or several or plural\$3) near (function or mode or capability\$3 or communication near system\$1)) and baseband with (process\$3 and convert\$3) and CDMA and PCS | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 18:07 |
| S43 | 83 | (MMR or multi near mode near receiver) and first near system and second near system | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 18:08 |
| S44 | 2 | (MMR or multi near mode near receiver) and first near system and second near system and CDMA and PCS | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 18:39 |
| S46 | 2 | (MMR or multi near mode near receiver) and first near system and second near system and CDMA and GSM | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 18:09 |
| S52 | 7 | CDMA with DBS | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 18:40 |

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S53 | 147 | CDMA and DBS | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 18:39 |
| S58 | 3 | CDMA and DBS and baseband near system | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 18:41 |
| S60 | 8 | CDMA and (digital near broadcast near satellite) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 18:41 |
| S64 | 2 | (CDMA and (digital near broadcast near satellite)) and baseband | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/12 18:42 |
| S69 | 31 | multi near mode near receiver and CDMA | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/13 12:27 |
| S71 | 100 | multi near mode near receiver | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/13 12:24 |
| S77 | 23 | multi near mode near receiver and bandpass | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/13 12:28 |
| S79 | 13 | multi near mode near receiver and bandpass and analog near2 digital near converter and digital near2 analog near converter | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/13 12:38 |

| | | | | | | |
|----------|----|--|---|----|-----|------------------|
| S80 | 6 | multi near mode near receiver and bandpass and analog near2 digital near converter and digital near2 analog near converter and low near pass near filter | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/13 12:36 |
| S84 | 23 | bandpass and multi near mode near receiver | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/14 12:34 |
| S85 | 7 | baseband near processor and multi near mode near receiver | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/14 12:33 |
| S86 | 36 | baseband and multi near mode near receiver | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/14 12:34 |
| S87 | 23 | baseband and multi near mode near receiver and CDMA | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/14 12:48 |
| S89 | 27 | transceiver and multi near mode near receiver | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/14 12:51 |
| S90 | 15 | transceiver and multi near mode near receiver and baseband | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/14 16:09 |
| S10 2 | 4 | multi near (mode or function) near receiver and (digital near1 analog near converter or DAC or D/A) and (finite near1 impulse near1 response or FIR) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/14 17:32 |

| | | | | | | |
|----------|---|--|---|----|-----|------------------|
| S10 3 | 4 | multi near (mode or function) near receiver and (digital near1 analog near converter or DAC or D/A) and (finite near1 impulse near1 response or FIR) and sample3 with rate | US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/14 17:37 |
| S10 6 | 1 | S105 and sample3 | USPAT | OR | OFF | 2005/01/14 17:53 |
| S10 7 | 1 | S105 and down near converter | USPAT | OR | OFF | 2005/01/14 17:57 |
| S10 8 | 1 | multi near mode near receiver and transceiver and (first and second) with down near converter | USPAT | OR | OFF | 2005/01/14 17:59 |
| S10 9 | 1 | multi near mode near receiver and transceiver and (first and second) with down near converter and (first and second) near signal | USPAT | OR | OFF | 2005/01/18 11:24 |